

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 4175-0767:102 Page 1 of 1

**CATEGORY:** Roof Covering (Miscellaneous)

**LISTEE:** United Coatings, 19011 E. Cataldo, Greenacres, WA 99016  
Contact: Jeff Carce (509) 926-7143

**DESIGN:** Type "Elastuff 101" moisture cure base coat and "Elastuff 102a" surfacing roof coating materials. Refer to listee's data sheet and UL Roofing Materials and Systems Directories for detailed product description and operational considerations. Approved systems:

**CLASS A:**

Deck:NC Incline:3  
Foam: Premium Polymers "241", any thickness  
Base: Elastuff 101, 1-1/4 to 2 Gal/sq<sup>(1)</sup> total (20-32 wet mils)  
Surfacing: Elastuff 102a, 1-1/4 to 2 Gal/sq total (20-32 wet mils)

Deck:NC Incline:Unlimited  
Foam: IPI, Div. of PMC "1570", any thickness  
Base Coat: Elastuff 101, 1-1/4 to 2 Gal/sq total (20-32 wet mils)  
Surfacing: Elastuff 102a, 1-1/4 to 2 Gal/sq total (20-32 wet mils)

Deck:NC Incline:3  
Foam: Foam Enterprises "FE-303", any thickness  
Base Coat: Elastuff 101, 1-1/4 to 2 Gal/sq total (20-32 wet mils)  
Surfacing: Elastuff 102a, 1-1/4 to 2 Gal/sq total (20-32 wet mils)

**CLASS B:**

Deck:NC Incline:Unlimited  
Foam:Foam Enterprises "FE-303", any thickness  
Base Coat: Elastuff 101, 1-1/4 to 2 Gal/sq total (20-32 wet mils)  
Surfacing: Elastuff 102a, 1-1/4 to 2 Gal/sq total (20-32 wet mils)

<sup>(1)</sup> : Gal/sq = gallon per 100 ft<sup>2</sup>

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, product name and UL label.

**APPROVAL:** Listed as Class A and Class B roof covering assemblies as described under "Design" and when constructed in accordance to UL Directory.

11-12-96



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 15, 2002**

*Listing Expires **June 30, 2003***

Authorized By: **DIANE K. AREND, Senior Deputy  
Program Manager**